

SPOKE LIGHT Installation - Rectangle/Circle/Triangle

Acoustical Spoke Light

These installation suggestions consist of a common process for acoustical SPOKE LIGHT installation. Installers should rely upon their own professional experience and understanding of their unique requirements to ensure a successful install.


NOTE: All Spoke Lights assemble the same - the fin shape (Rectangle/Circle/Triangle) is the only distinction.

Tools Needed




Hex Hand Dryer


Items Included



OR




OR



SPOKE LIGHT


Spoke Light will arrive assembled - without the inner light inside



T-bolt



T-nut





LED light



SPOKE LIGHT Installation

Acoustical Spoke Light

1. Carefully unwrap the assembled Spoke Light. Use caution to not bend or tear the attached fins.



2. The top piece will need to be unscrewed and removed in order to insert the light. Once the bolts have been removed along with the top piece, a hole for the light will be exposed.




SPOKE LIGHT Installation

Acoustical Spoke Light

3. Insert the light through the hole on the top, and carefully through the holes in the middle of the assembly. Once the light has been inserted, replace the top piece while sliding the light cable through the slit in the middle.


NOTE: The slit in the top piece is not easily visible - lightly twist the piece to find the cut.



SPOKE LIGHT Installation

Acoustical Spoke Light

4. Reinsert the T-bolts and tighten once the light has been placed inside. Remove any visible stickers/labels.



5. Complete assembly.

